

LA MAMA PORTADORA DE PRÓTESIS: MAMOGRAFÍA, ECOGRAFÍA Y RM.

Bibliografía:

- Berg WA, et al. MR imaging of extracapsular silicone from breast implants: diagnostic pitfalls. AJR 2002; 178:465-472.
- Berg WA, et al. Diagnosing breast implant rupture with MR imaging, US, and mammography. Radiographics 1993; 13(6):1323-1336.
- Brem RF, et al. MR detection of breast implant rupture. J Comput Assist Tomogr 1992;16:157-159.
- Capozzi A, et al. Distant migration of silicone gel from a ruptured breast implant. Plast Reconstr Surg 1980; 62:302-303.
- Caskey CI, et al. Breast implant rupture: diagnosis with US. Radiology 1994; 190(3):819-823.
- DeAngelis GA, et al. MR imaging of breast implants. Radiographics 1994; 14(4):783-794.
- Destouet JM, et al. Screening mammography in 350 women with breast implants: prevalence and findings of implant complications. AJR Am J Roentgenol 1992; 159(5):973-978.
- Eklund G, Busby R, et al. Improved imaging of the augmented breast. AJR 1988; 151:469-473.
- Fornage BD, Sneige N, Singletary SE. Masses in breast with implants: diagnosis with US-guided fine-needle aspiration biopsy. Radiology 1994;191(2):339-342.
- Gliksman AC. Breast imaging for plastic surgeons. Plastic and reconstructive Surgery 1992; 90(6):1106-1111.
- Gorczyca DP, et al. Linguine Sign at MR Imaging : Does it represent the collapsed silicone implant shell?. Radiology 1994; 191:576-577.
- Harris KM, et al. Silicone Implant Rupture: Detection with US. Radiology 1993; 187:761-768.
- Huang TT, et al. Migration of silicone gel after the "squeeze technique" to rupture a contracted breast capsule. Plast Reconstr Surg 1978; 60:277-280.
- Kopans DB. La mama en imagen. Marban. 1999.
- Medeiros A, Ribeiro MF. Sonographic and Mammographic Findings of Breast Liquid Silicone Injection. Journal of Clinical Ultrasound. Vol.34. NO.6.July/August 2006. 273-277.
- Silverstein MJ, et al. Breast cancer in women after augmentation mammoplasty. Arch Surg 1988; 123:681-685.
- Silverstein MJ, Gierson E, et al. Breast cancer diagnosis and prognosis in women augmented with silicone gelfilled implants. Cancer 1990; 66:97-101.
- Stavros T. Breast Ultrasound. Lippincott Williams&Wilkins. 2004.
- Steinbach B, Hardt S, et al. Breast implants common complications, and concurrent breast disease. Radiographics 1993; 13:95-118.
- Young VL, et al. Calcification of breast implant capsule. South Med J 1989; 82:1171-1173.