

TRACTAMENT PERCUTANI DELS TUMORS HEPÀTICS.

Bibliografia:

- Arienti V, Petrolani S, Pacella CM et al . Complicacions of laser Ablation for Hepatocellular carcinoma: a multicenter Study. Radiology 2008;14.
- Bruix J, Sherman M. Management of Hepatocellular Carcinoma: An Update. American Association for the Study of Liver Disease. Retrieved September 28 2010 from <http://www.aasld.org/practiceguidelines>.
- Curley SA , Izzo F , Delrio P , Ellis LM , Granchi J , et al. Radiofrequency ablation of unresectable primary and metastatic hepatic malignancies. Results in 123 patients. Ann Surg 1999;vol 230,nº1:1-8
- Cho YK, Kim JK, Kim MY, Rhim H, Han JK. Systematic review of randomized trials for hepatocellular carcinoma treated with percutaneous ablation therapies. Hepatology 2009 February;49(2):453-9.
- Dong B, Liang P, Yu X et al. Percutaneous sonographically guided microwave coagulation therapy for hepatocellular carcinoma : results in 234 patients. AJR 2003;180:1547-1555.
- Ebara M, Okabe S, Kita K et al. Percutaneous ethanol injection for small hepatocellular carcinoma: therapeutic efficacy based on 20 year observation. J Hepatol 2005 ;43:458-464.
- Forner A, Ayuso C, Isabel RM, Sastre J, Robles R, Sangro B et al. [Diagnosis and treatment of hepatocellular carcinoma]. Med Clin (Barc) 2009 February 28;132(7):272-87.
- Giorgio A , Tarantino L, de Stefano G, et al . The echo-guided interstitial laser photocoagulation of malignant liver tumors. Radio Med 2000;99:264-269.
- Goldberg S, Gazelle G, Compton C. Treatment of intrahepatic malignancy with radiofrequency ablation. Radiologic-pathologic correlation. Cancer 2000;1 ,vol 88, nº 11: 2452-2463.
- Kim JH, Won HJ, Shin YM, Kim KA, Kim PN. Radiofrequency Ablation for the treatment of primary intrahepatic cholangiocarcinoma. AJR 2011;196:205-209 .
- Lencioni R , Allgaier H, Cioni D et al . Small hepatocellular carcinoma in cirrhosis : randomized comparison of radiofrequency thermal ablation versus percutaneous ethanol injection. Radiology 2003;228:235-240.
- Lencioni R, Cioni D, Crocetti L, et al. Early – Stage hepatocellular carcinoma in patients with cirrhosis: long term results of percutaneous image guided radiofrequency ablation. Radiology 2005;234:961-967.
- Liang HL, Yang CF, Pan HB , et al. Small hepatocellular carcinoma : safety and efficacy of single high dose percutaneous acetic acid injection for treatment. Radiology 2000;214:769-774.
- Liang P, Dong B, Yu X et al. Prognostic factors for survival in patients with hepatocellular carcinoma after percutaneous microwave ablation. Radiology 2005;235:299-307.
- Ling SM, Ling CJ, Lin CC et al. Radiofrequency ablation improves prognosis compared with ethanol injection for hepatocellular carcinoma \leq 4 cm. Gastroenterology 2004;127:1714- 1723.
- Livraghi T , Bolondi L, Lazzaroni S et al. Percutaneous ethanol injection in the treatment of hepatocellular carcinoma in cirrhosis. A study on 207 patients. Cancer 1992; 69:925-929.

- Livraghi T, Goldberg SN, Lazzaroni S, et al. Hepatocellular carcinoma : Radio-frequency ablation of medium and large lesions . Radiology 2000;214:761-768.
- Livraghi T, Goldberg N, Lazzaroni S, Meloni F, Solbiati L, Gazelle G. Small hepatocellular carcinoma : treatment with radiofrequency ablation versus ethanol injection. Radiology 1999;210:655-661.
- Livraghi T, Solbiati L, Meloni MF et al. Treatment of focal liver tumors with percutaneous radiofrequency ablation : complications encountered in a multicenter study. Radiology 2003;226:441-451.
- Livraghi T, Meloni F, Di SM, Rolle E, Solbiati L, Tinelli C et al. Sustained complete response and complications rates after radiofrequency ablation of very early hepatocellular carcinoma in cirrhosis: Is resection still the treatment of choice? Hepatology 2008 January;47(1):82-9.
- Llovet JM, Brú C , Bruix J: Prognosis of hepatocellular carcinoma: the BCLC staging classification.Semin Liver Dis 19:329-339,1999
- Llovet JM, Vilana R, Bru C, Bianchi L, Salmeron JM, Boix L, et al. Increased risk of tumor seeding after percutaneous radiofrequency ablation for single hepatocellular carcinoma. Hepatology 2001;33:1124-1129.
- Ohashi I, Hanafusa K, Yoshida T. Small hepatocellular carcinoma: two phase dynamic incremental CT in detection and evaluation. Radiology 1993; 189:851-5
- Ohnishi K, Yoshioka H, Ito S, Fujiwara K. Prospective randomized controlled trial comparing percutaneous acetic acid injection and percutaneous ethanol injection for small hepatocellular carcinoma. Hepatology 1998;vol 27 n° 1 : 67-72.
- Orlando A, Leandro G, Olivo M, Andriulli A, Cottone M. Radiofrequency thermal ablation vs. percutaneous ethanol injection for small hepatocellular carcinoma in cirrhosis: meta-analysis of randomized controlled trials. Am J Gastroenterol 2009 February;104(2):514-24.
- Pacella CM, Bizarri G,Magnolfi F et al. Laser thermal ablation in the treatment of small hepatocellular carcinoma : results in 74 patients.Radiology 2001;221:712-720.
- Pacella CM, Francica G, Di Lascio FM, Arienti V, Antico E, Caspani B et al. Long-term outcome of cirrhotic patients with early hepatocellular carcinoma treated with ultrasound-guided percutaneous laser ablation: a retrospective analysis. J Clin Oncol 2009 June 1;27(16):2615-21
- Pearson AS, Izzo F, Fleming RY, et al. Intraoperative radiofrequency ablation or cryoablation for hepatic malignancies. Am J Surg 1999;178(6):592-599.
- Real MI, Bianchi L, Vilana R, Burrel M, Rimola J. Tratamiento percutáneo e Intrarterial del carcinoma hepatocelular . Radiologia. 2010 Sep-Oct;52(5):399-413.
- Rhim H, Dodd III G, Halff G. Ultrasound -guided thermal ablation of malignant hepatic tumors. Ultrasound Quarterly 1999;15,2:93-102.
- Rhim H, Yoon KH, Lee JM et al. Major complications after radiofrequency thermal ablation of hepatic tumors : spectrum of imaging findings. Radiographics 2003;23:123-136.
- Sala M, Ilovet JM , Vilana R, et al Initial response to percutaneous ablation predicts survival in patients with hepatocellular carcinoma. Hepatology 2004;40:1352-1360.
- Shiina S et al . A randomized controlled trial of radiofrequency ablation with ethanol injection for small hepatocellular carcinoma. Gastroenterology 2005;129:122-130.
- Sorensen SM , Mortensen FV, Nielsen DT . Radiofrequency ablation of colorectal liver metastases: long-term Survival. Acta Radiol 2007;48:253-258.

- Tateishi R, Shiina S, Teratani T et al. Percutaneous radiofrequency ablation for hepatocellular carcinoma. An analysis of 1000 cases. *Cancer* 2005;103(6):1201-1209.

- Vilana R, Bruix J, Bru C, et al. Tumor size determines the efficacy of percutaneous ethanol injection for the treatment of small hepatocellular carcinoma . *Hepatology* 1992;16:353-357.

-Vilana R, Bianchi L, Varela M, Nicolau C, Sánchez M, Ayuso C, Garcia M, Sala M, Llovet JM, Bruix J, Bru C. Is microbubble-enhanced ultrasonography sufficient for assessment of response to percutaneous treatment in patients with early hepatocellular carcinoma ?. *Eur Radiol* 2006 Nov;16(11):2454-2462.

- Vogl TJ, Straub R, Eichler K et al . Malignant liver tumors treated with MR imaging-guided laser induced thermotherapy : experience with complications in 899 patients . *Radiology* 2002;225:367-377.

-Wong SL, Mangu PB, Choti MA,Crocenzi TS,DodIII GD, Dorfman GS et al . American Society of Clinical Oncology 2009 Clinical Evidence Review on Radiofrequency Ablation of hepatic metastases from colorectal Cancer. *J Clin Oncol* 2009;28:493-508.

- Zhang L, Zhu H, Jin C, Zhou K, Li K, Su H et al. High-intensity focused ultrasound (HIFU): effective and safe therapy for hepatocellular carcinoma adjacent to major hepatic veins. *Eur Radiol* 2009 February;19(2):437-45.